BRIGHTNESS OF THE NEW ERA

TESCA
LIGHTING

ABOUT US

Established in Year 2019, Tesca LED in Noida, Uttar Pradesh is one
of the best Players who provide
Complete LED Solutions to its Clients. Over the course of its Journey
we build our community of Happy Customers across the Globe.
Pushing the Credo of MAKE IN BHARAT Tesca LED is breaking new
grounds through its Trust & Technologically Superior Range of Lighting.
A agship unit, pioneered with the Vision to o er the Bharat users
with a high quality product within the monitory con des, it em
bodies a set of critical values at its core.
Tesca LED is one of the few companies in market which connect to
the Bharat's Customer and provide its Trust along with the product
while purchasing from our registered Dealers. We brings a rare
blend of rich industrial experience combined with deep knowledge
of its consumers from experience of past happy years in this industry.
We are trying to make Tesca a name which everyone can recall for
Trust and Brand while purchasing any LED Lightings in future.
We represents a perfect example of the nest standards of quality,
high realms of usability and a ordability.
Let's Make our BHARAT enlightens like a Golden Bird Again with
the New All in one Tesca LED.

PANEL LIGHT
(CAROL SERIES)

CRI >80 | System Lumen >140/W | Input 130-320 AC | Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Dimensions cutout(mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-CIP-8W	8W	116	100	20	CW/WW/NW	420
TL-CIP-12W	12W	140	127	20	CW/WW/NW	420
TL-CIP-15W	15W	166	151	20	CW/WW/NW	800
TL-CIP-22W	22W	195	175	20	CW/WW/NW	1200

Dimension outer: Round & Square

THREE IN ONE

Product Code	Wattage	Dimension outer (mm)	Dimensions cutout(mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-CIP31-8W	8W	116	100	20	CW/WW/NW	500
TL-CIP31-12W	12W	140	127	20	CW/WW/NW	620
TL-CIP31-15W	15W	116	151	20	CW/WW/NW	880

MOVABLE SPOT LIGHT

CRI >80 | System Lumen >140/W | Input 130-320 AC | Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Dimensions cutout(mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-AC-3W	3W	70	52	50		360
TL-AC-7W	7W	105	95	60		440

SLIM PANEL LIGHT

(CLUSTER SERIES)

⬤ CRI>80 ☀ System Lumen >140/W ⏻ Input 130-320 AC ⚡ Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)		Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-SP-6W	6W	125	Round & Square	20		550
TL-SP-12W	12W	170		20		720
TL-SP-18W	18W	215		20		980

SURFACE LIGHT

(CLUSTER SERIES)

⬤ CRI>80 ☀ System Lumen >140/W ⏻ Input 130-320 AC ⚡ Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)		Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-SP-6W	6W	125	Round & Square	20		550
TL-SP-12W	12W	170		20		720
TL-SP-18W	18W	215		20		980

SPOT CABINET LIGHT

CRI>80 | SystemLumen >140/W | Input 130-320 AC | Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Dimensions cutout(mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-CSL-2W	2W	41	32	100	CW	190
TL-CSL-2W	2W	41	32	100	WW	190
TL-CSL-2W	2W	41	32	100	NW	190
TL-CSL-2W	2W	41	32	100	BL	190
TL-CSL-2W	2W	41	32	100	RED	190

STRIKER MINI SURFACE

CRI>80 | SystemLumen >140/W | Input 130-320 AC | Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Dimensions cutout(mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-SMS-3W	3W	N/A	N/A	50	CW	200
TL-SMS-3W	3W	N/A	N/A	50	WW	200
TL-SMS-3W	3W	N/A	N/A	50	NW	200

DEEP JUNCTION LIGHT

CRI >80   System Lumen >140/W   Input 130-320 AC   Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Dimensions cutout(mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-CD-3W	3W	80	52	50	W,WW,R,B	260

OUTDOOR WALL LIGHT

CRI >80   System Lumen >140/W   Input 130-320 AC   Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Body Color	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-CL-2W	2W	75x76x36	Black	20	CW/WW/NW	400
TL-CL-4W	4W	110x77x38	Black	20	CW/WW/NW	800
TL-CL-6W	6W	158x80x40	Black	20	CW/WW/NW	1200

UP DOWN LIGHT

CRI >80   System Lumen >140/W   Input 130-320 AC   Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Body Color	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-UD-3W	3W	80x80x64	Black	20	CW/WW/NW	700
TL-UD-6W	6W	144x80x60	Black	20	CW/WW/NW	1000

TRACK LIGHT
## (SENTER SERIES)

CRI>80

System Lumen >140/W

Input 130-320 AC

Surge Protection Upto 3KV

Product Code	Wattage	BODY COLOR	Standerd Packing	Colour Temperature	MR Price (₹ Per unit)
TL-STL-10W	10W	125	10	White / WW / NW	1200
TL-SP-12W	20W	170	10	White / WW / NW	1450
TL-SP-18W	30W	215	10	White / WW / NW	2100

BASE (Surface Mounting)
for LED Track Light

Product Code	BODY COLOR	Dimension	MR Price (₹ Per unit)
TL-BT-01	Black / White	1 Mtr.	550
TL-BT-02	Black / White	2 Mtr.	750

Product Code	BODY COLOR	Dimension	MR Price (₹ Per unit)
TL-T-1M	Black / White	N/A	500

ADJUSTABLE PANEL LIGHT
(ADROL SERIES)

TESCA LIGHTING

⬤ CRI>80   ☀ System Lumen >140/W   ⬅ Input 130-320 AC   ⚡ Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Dimensions cutout (mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-APL-12W	12W	120	2.5-4.0	20	CW, WW	500
TI-APL-22W	22W	170	2.5-6.0	20	CW, WW	800

RIMLESS SURFACE LIGHT
(2x2 Panel Light)

⬤ CRI>80   ☀ System Lumen >140/W   ⬅ Input 130-320 AC   ⚡ Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-RSL-12W	12W	127	20	C, WW, NW	500
TL-RSL-18W	18W	154	20	C, WW, NW	700

COB SURFACE LIGHT
(CYLENDER SERIES)

TESCA LIGHTING

CRI >80

System Lumen >140/W

Input 130-320 AC

Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	BODY COLOR	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-CS-7W	7W	55	White / Black	20	CW, WW, NW	850
TL-CS-12W	12W	70	White / Black	20	CW, WW, NW	1200
TL-CS-18W	18W	95	White / Black	20	CW, WW, NW	1600

Deep COB Light
(GLAZE SERIES)

CRI >80

System Lumen >140/W

Input 130-320 AC

Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Dimensions cutting	BODY COLOR	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-GC-7W	7W	72	60	White / Black	20	CW , NW, WW	850
TL-GC-12W	12W	83	75	White / Black	20	CW , NW, WW	1200
TL-GC-18W	18W	95	84	White / Black	20	CW , NW, WW	1600

STRIP LIGHT

(Cera Series)

CRI>80   System Lumen >140/W   Input 130-320 AC   Surge Protection Upto 3KV

Product Code	Length	Strip Colour	Standerd Packing	Colour Temperature	MR Price (₹ Per unit)
TL-CR-4W	5 mtr.	White	20	CW, WW, NW, BLUE	600
TL-CR-8W	5 mtr.	White	20	CW, WW, NW, BLUE	900

SMPS

Product Code	Ampere	MR Price (₹ Per unit)
TL-SM-2A	2 AMP.	400
TL-CR-5W	5 AMP.	550
TL-CR-10W	10 AMP.	650
TL-CR-25W	25 AMP.	800
TL-CR-33W	33 AMP	1050

CRI>80   System Lumen >140/W   Input 130-320 AC   Surge Protection Upto 3KV

FLOOD LIGHT

(GM SERIES)

CRI>80	System Lumen >140/W	Input 130-320 AC	Surge Protection Upto 3KV	IP-66 Certi ed

Product Code	Wattage	BODY COLOR	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-GM-30W	30W	Black / White	10	White	1250
TL-GM-50W	50W	Black / White	10	White	1650
TL-GM-100W	100W	Black / White	10	White	2450
TL-GM-200W	200W	Black / White	10	White	5500

STREET LIGHT

(LM SERIES)

CRI>80	System Lumen >140/W	Input 130-320 AC	Surge Protection Upto 3KV	IP-66 Certi ed

Product Code	Wattage	BODY COLOR	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-LM-30W	30W	Black / White	10	White	1450
TL-LM-50W	50W	Black / White	10	White	1700
TL-LM-100W	100W	Black / White	10	White	2500

HIBAY LIGHT

CRI>80 | SystemLumen >140/W | Input 130-320 AC | Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	BODY COLOR	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-HB-100W	100W	--	Black	10	CW, WW, NW	3,000
TL-HB-200W	200W	--	Black	10	CW, WW, NW	8,000

ROPE LIGHT

CRI>80 | SystemLumen >140/W | Input 130-320 AC | Surge Protection Upto 3KV

Product Code	LED/m	Length	Strip Colour	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-CR-4W	120	50 mtr.	White	5	CW, WW, NW, BLUE	6000
TL-CR-8W	240	50 mtr.	White	5	CW, WW, NW, BLUE	9000

SWIMING POOL LIGHT

CRI>80

System Lumen >140/W

Input 130-320 AC

Surge Protection Upto 3KV

FOCUS LIGHT

CRI>80

System Lumen >140/W

Input 130-320 AC

Surge Protection Upto 3KV

| Product Code	Wattage	Dimension outer (mm)	Dimensions cutout (mm)	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-2X-48W	30W	605	579	5	CW, WW, NW	1000
TL-2X-48W	50W	605	579	5	CW, WW, NW	1500
TL-2X-48W	100W	605	579	5	CW, WW, NW	2500

TESCA LIGHTING

DEEP DOWN LIGHT

CRI>80   System Lumen >140/W   Input 130-320 AC   Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Length	BODY COLOR	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-DD-12W	12W	55x119	2 Feet	Black / White	12	CW, WW, NW	800
TL-DD-18W	18W	60x152	3 Feet	Black / White	12	CW, WW, NW	1,400

LINEAR LIGHT

CRI>80   System Lumen >140/W   Input 130-320 AC   Surge Protection Upto 3KV

Product Code	Wattage	Dimension outer (mm)	Length	BODY COLOR	Standerd Packing	Colour Temperature	MR Price (Per unit)
TL-LL-18W	18W	50x70	2 Feet	Black / White	10	CW, WW, NW	2,000
TL-LL-20W	20W	50x70	3 Feet	Black / White	10	CW, WW, NW	3,000