



TESCA LIGHTING

BRIGHTNESS
TO THE
NEW **ERA**

www.tescalighting.com



ABOUT US

TESCA LIGHTING

Established in Year 2019, Tesca LED in Noida, Uttar Pradesh is one of the best Players who provide Complete LED Solutions to its Clients. Over the course of its Journey we build our community of Happy Customers across the Globe.

Pushing the Credo of MAKE IN BHARAT Tesca LED is breaking new grounds through its Trust & Technologically Superior Range of Lighting.

A flagship unit, pioneered with the Vision to offer the Bharat users with a high quality product within the monetary confines, it embodies a set of critical values at its core.

Tesca LED is one of the few companies in market which connect to the Bharat's Customer and provide its Trust along with the product while purchasing from our registered Dealers. We bring a rare blend of rich industrial experience combined with deep knowledge of its consumers from experience of past happy years in this industry.

We are trying to make Tesca a name which everyone can recall for Trust and Brand while purchasing any LED Lightings in future.

We represent a perfect example of the best standards of quality, high realms of usability and affordability.

Let's Make our BHARAT enlightens like a Golden Bird Again with the New All in one Tesca LED.

Panel Light

Carol series

Inbuilt Driver | Polycarbonate Housing
Extra Bright | Anti Glare | Fluctuation Proof
Backlit Downlight | Recessed Mount

CRI > 80

System Lumen > 140/W

Input 130-320 AC

Surge Protection Upto 3KV



Product Code	Wattage	Dimensions Outer (mm)	Dimensions Cutout (mm)	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-CIP-6W	8W	116	100	20		420
TL-CIP-15W	15W	166	151	20	Round	800
TL-CIP-22W	22W	195	175	20		1200
TL-CIP-6W	8W	116	100	20		420
TL-CIP-15W	15W	166	151	20	SQ	800
TL-CIP-22W	22W	195	175	20		1200
TL-CIP31-8W	8W	116	100	20	3in1	500
TL-CIP31-15W	15W	166	151	20	3in1	880

Surface Light

Cluster Series

Surface Mounted | PMMA Light Guide Panel
Extra Bright | Anti Glare | Fluctuation Proof
Edge-lit Surface | Aluminum Housing

CRI > 80

System Lumen > 140/W

Input 130-320 AC

Surge Protection Upto 3KV



Product Code	Wattage	Dimensions Outer (mm)	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-SP-6W	6W	125	20		550
TL-SP-12W	12W	170	20	Round	720
TL-SP-18W	18W	215	20		980
TL-SP-6W	6W	125	20		550
TL-SP-12W	12W	170	20	Square	720
TL-SP-18W	18W	215	20		980

Movable Spot Light

Extra Bright | Anti Glare | Fluctuation Proof
Internal Driver | PC Housing | Recessed Mount



CRI > 80




System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	Dimensions Cutout (mm)	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-AC-3W	3W	70	52	50		360
TL-AC-7W	7W	105	95	60		440

Slim Panel Light

Cluster Series

Surface Mounted | PMMA Light Guide Panel
Extra Bright | Anti Glare | Fluctuation Proof
Edge-lit Surface | Aluminum Housing



CRI > 80




System Lumen
> 140/W



Input
130-320 AC







Surge Protection
Upto 3KV



Product Code	Wattage	Dimensions Outer (mm)		Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-SP-6W	6W	125		20		550
TL-SP-12W	12W	170	Round	20		720
TL-SP-18W	18W	215		20		980
TL-SP-6W	6W	125		20		550
TL-SP-12W	12W	170	Square	20		720
TL-SP-18W	18W	215		20		980

Spot Cabinet Light

Niche Light | Halogen Effect | Fluctuation Proof
Internal Driver | PC Housing | Recessed Mount





-  CRI>80
-  System Lumen > 140/W
-  Input 130-320 AC
-  Surge Protection Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	Dimension Cutout (mm)	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-CSL-2W	2W	41	32	100	CW, WW, NW, BL, Red	190

Striker Mini Surface

Extra Bright | Anti Glare | Fluctuation Proof
Internal Driver | PC Housing | Surface Mount





-  CRI>80
-  System Lumen > 140/W
-  Input 130-320 AC
-  Surge Protection Upto 3KV



Product Code	Wattage	Dimensions Outer (mm)	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TLS3W	3W	N/A	50	CW WW NW	₹200

Deep Junction Light

Extra Bright | Anti Glare | Fluctuation Proof
Backlit Downlight | PC Housing | Recessed Mount

-  CRI>80
-  System Lumen > 140/W
-  Input 130-320 AC
-  Surge Protection Upto 3KV



Product Code	Wattage	Dimensions Outer (mm)	Dimensions Cutout (mm)	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-CD-3W	3W	80	52	50	W, WW, R, B	260

Flood Light

GM Series

Focus Flood Light | IP-66 Water Proof | Adjustable Bracket
Internal Driver | Aluminium casting | Surface Mount



CRI > 80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



IP-66 Certified



Product Code	Wattage	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-GM-30W	30W	BLACK/ WHITE	10	White	1250
TL-GM-50W	50W	BLACK/ WHITE	10	White	1650
TL-GM-100W	100W	BLACK/ WHITE	10	White	2450

Street Light

LM Series

Lens Street Light | IP-66 Water Proof | Slim Design
Internal Driver | Aluminium casting | Pole Mount



CRI > 80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



IP-66 Certified



Product Code	Wattage	BODY COLOR	Standard	Colour	MR Price
TL-LM-30W	30W	BLACK/ WHITE			1450
TL-LM-50W	50W	BLACK/ WHITE	10	White	1700
TL-LM-100W	100W	BLACK/ WHITE	10		2500

Track Light

SENER Series

Track Spot Light | 360o Adjustable | Fluctuation Proof
Internal Driver | Aluminium Housing | Fits In All Kind of Tracks



CRI > 80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



Product Code	Wattage	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-STL-10W	10W	BLACK/ WHITE	10	White WW NW	1200
TL-STL-20W	20W	BLACK/ WHITE	10		1450
TL-STL-30W	30W	BLACK/ WHITE	10		2100

Base (Surface Mounting) For LED Track Light

Product Code	Body Color	Dimension	MRP(₹)
TL-BT-01	Black / White	N/A	100



2 Way Track Channel

Product Code	Body Color	Dimension	MRP(₹)
TL-T-1M	Black / White	1 Mtr	500



COB Surface Light

CYLENDERA Series

Focus Surface | Premium Finish Options | Fluctuation Proof
Internal Driver | PC Housing | Surface Mount



CRI>80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-CS-7W	7W	55	White/Black	20	CW,WW,NW	850
TL-CS-12W	12w	70	White/Black	20	CW,WW,NW	1200
TL-CS-18W	18W	95	White/Black	20	CW,WW,NW	1600

Deep COB Light

GLAZE Series

Deep Recessed | Aluminum Casting | Fluctuation Proof
External Driver | Halogen E ect | Recessed Mount



CRI>80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	Dimension Cutting	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-GC-7W	7W	72	60	white/Black	20	CW,NW,WW	850
TL-GC-12W	12w	83	75	white/Black	20	CW,NW,WW	1200
TL-GC-18W	18W	95	84	white/Black	20	CW,NW,WW	1600

Concealed

VIGOUR Series

Backlit Downlight | Anti Glare | Fluctuation Proof
Internal Driver | PC Housing | Recessed Mount
Concealed Box | False Ceiling



CRI>80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



Downlight

TRIM Series

Backlit Downlight | Anti Glare | Fluctuation Proof
Internal Driver | PC Housing | Recessed Mount
Concealed Box | False Ceiling



CRI>80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 2.5KV



Product Code	Wattage	Dimensions Outer (mm)	Dimensions Cutout (mm)	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-VC-6W	6W	110	90	60	W,WW,NW, R,BL	440
TI-3X-7W	7W	110	90	60	3-in-1	500

Ceiling Light

2x2 Panel Light

Extra Bright | Anti Glare | Fluctuation Proof
External Driver | Aluminum Housing | Surface Mount



CRI>80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	Dimension Cutout (mm)	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-2X-36W	36W	605	579	5	White WW NW	2100

Outdoor Wall Lights

Clen series

Focus Surface | Premium Finish Options | Fluctuation Proof
Internal Driver | PC Housing | Surface Mount



CRI>80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-CL-2W	2 Watt	75x76x36	Black	20	CW/WW/NW	₹ 400
TL-CL-4W	4 Watt	110x77x38	Black	20	CW/WW/NW	₹ 800
TL-CL-6W	6 Watt	158x80x40	Black	20	CW/WW/NW	₹ 1200

Up Down Lights

Focus Surface | Premium Finish Options | Fluctuation Proof
Internal Driver | PC Housing | Surface Mount



CRI>80



System Lumen
> 140/W



Input
130-320 AC



Surge Protection
Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-UD-3W	3 Watt	80x80x64	Black	20	CW/WW/NW	₹ 700
TL-UD-6W	6 Watt	144x80x60	Black	20	CW/WW/NW	₹ 1000

Profile Lights

Deep Recessed | Aluminium Casting | Fluctuation Proof | Internal Driver | Surface Mount



CRI > 80



System Lumen > 140/W



Input 130-320 AC



Surge Protection Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-CL-4W	4 Watt	304.8x23x7.5	White	40	CW/WW/NW	₹ 400
TL-CL-8W	8 Watt	609.6x23x7.5	White	40	CW/WW/NW	₹ 600
TL-CL-12W	12 Watt	914.4x23x7.5	White	40	CW/WW/NW	₹ 800

Strip Lights

Cera Series

Premium Finish Options | Fluctuation Proof External Driver | per meter cut | Surface Mount



CRI > 80



System Lumen > 140/W



Input 130-320 AC



Surge Protection Upto 4KV







Product Code	Length	Strip Colour	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-CR-4W	5 mtr.	White	20	CW/WW/NW/BLUE	₹ 600
TL-CR-8W	5mtr.	White	20	CW/WW/NW/BLUE	₹ 900

Swimming pool Light

Focus Surface | Premium Finish Options | Fluctuation Proof
Internal Driver | PC Housing | Surface Mount







-  CRI>80
-  System Lumen > 140/W
-  Input 130-320 AC
-  Surge Protection Upto 4KV

Hibay Light Series

Deep Recessed | Aluminium Casting | Fluctuation Proof
Internal Driver | Halogen Effect | Hanging mount







-  CRI>80
-  System Lumen > 140/W
-  Input 130-320 AC
-  Surge Protection Upto 4KV

Product Code	Wattage	Dimensions Outer (mm)	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-HB-100W	100 Watt	-	Black	10	CW/WW/NW	₹ 3,000
TL-HB-150W	150 Watt	-	Black	10	CW/WW/NW	₹ 5,000
TL-HB-200W	200 Watt	-	Black	10	CW/WW/NW	₹ 8,000
TL-HB-250W	250 Watt	-	Black	10	CW/WW/NW	₹ 10,000

Deep Down Light Series

Premium Finish Options | Fluctuation Proof | External Driver | Aluminium Housing | Recessed Mount





-  CRI>80
-  System Lumen > 140/W
-  Input 130-320 AC
-  Surge Protection Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	Cutout	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-DD-12W	12 Watt	55x119	110 mm	Black / White	12	CW/WW/NW	₹ 800
TL-DD-18W	18 Watt	60x152	146mm	Black / White	12	CW/WW/NW	₹ 1,400

Linear Light Series

Premium Finish Options | Fluctuation Proof | Internal Driver | PC Housing | Hanging Mount

-  CRI>80
-  System Lumen > 140/W
-  Input 130-320 AC
-  Surge Protection Upto 4KV



Product Code	Wattage	Dimensions Outer (mm)	Length	BODY COLOR	Standard Packing	Colour Temperature	MR Price (₹ Per Unit)
TL-LL-18W	18 Watt	50x70	2 Feet	Black / White	10	CW/WW/NW	₹ 2,000
TL-LL-20W	20 Watt	50x70	3 Feet	Black / White	10	CW/WW/NW	₹ 3,000



Registered Office

1030 Sector-45 , Noida , UP

Mobile No+91 9999574724

Email tescasolutions@gmail.com

Website www.tescalighting.com

